

Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Castdon Polymer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Plastic for the manufacturing and repair of dentures

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna

Telephone no. +49 2303 8807-0

Fax no. +49 2303 8807-29
Information provided Department Research & Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of sicherheitsdatenblatt@dreve.de

person responsible

for this SDS

1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains Methyl methacrylate monomer, stabilized, Dibenzoyl peroxide, May produce an

allergic reaction.

Supplemental information

EUH210 Safety data sheet available on request.

2.3. Other hazards

No special hazards have to be mentioned.

The Substance does not meet PBT-criteria. This substance does not meet the vPvB-criteria. This substance does not have endocrine disrupting properties with respect to humans. This substance does not have endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

Acrylic resin based on polymethyl methacrylate

Hazardous ingredients

Methyl methacrylate monomer, stabilized

CAS No. 80-62-6 EINECS no. 201-297-1

Registration no. 01-2119452498-28

Concentration >= 0.1 < 1 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Skin Irrit. 2 H315 Skin Sens. 1 H317 STOT SE 3 H335

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

Dibenzoyl peroxide

CAS No. 94-36-0 EINECS no. 202-327-6

Registration no. 01-2119511472-50

Concentration >= 0,1 < 1%

Classification (Regulation (EC) No. 1272/2008)

Org. Perox. B H241 Eye Irrit. 2 H319 Skin Sens. 1 H317

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse out mouth and give plenty of water to drink.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO2, powders, water spray/mist, Extinguishing measures to suit surroundings

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Keep container tightly closed and dry.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

Methyl methacrylate monomer, stabilized

Reference substance Methyl methacrylate monomer, stabilized

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 208 mg/m³

Methyl methacrylate monomer, stabilized

Type of value Derived No Effect Level (DNEL)

Reference group Worker
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 13,7 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Worker

Duration of exposure Short term

Route of exposure inhalative

Concentration 416 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 0,0015 mg/cm²

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure dermal

Mode of action Systemic effects

Concentration 8,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Long term
Route of exposure oral

Mode of action Systemic effects

Concentration 8,2 mg/kg/d

Type of value Derived No Effect Level (DNEL)

Reference group Consumer
Duration of exposure Short term
Route of exposure inhalative

Concentration 208 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer



Print date: 24.03.2023

Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB

Duration of exposure Long term
Route of exposure inhalative
Mode of action Systemic effects

Concentration 74,3 mg/m³

Predicted No Effect Concentration (PNEC)

Methyl methacrylate monomer, stabilized

Reference substance Methyl methacrylate monomer, stabilized

Type of value PNEC
Type Freshwater

Concentration 0,94 mg/l

Type of value PNEC Saltwater

Concentration 0,094 mg/l

Type of value PNEC Type Soil

Concentration 1,48 mg/kg

Type of value PNEC

Type Freshwater sediment

Concentration 10,2 mg/kg

Type of value PNEC

Type Sewage treatment plant (STP)

Concentration 10 mg/l

Type of value PNEC

Type Man via the environment

Concentration 8,2 mg/kg/d

Type of value PNEC

Type Marine sediment

Concentration 1,2 mg/kg

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals.

Respiratory protection

Use suitable respiratory protective device in case of insufficient ventilation; Dust mask

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

Appropriate Material Butyl rubber

Eye protection

Safety glasses

Body protection

Clothing as usual in the chemical industry.



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Powder Colour pink

Odour characteristic

Melting point

Value appr. 110 °C

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks not determined

Flammability not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Remarks Not applicable

Ignition temperature

Value > 400 °C

Decomposition temperature

Remarks No decomposition if used as prescribed.

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative density

Value 1,16 g/cm³

Relative vapour density

Remarks not determined

9.2. Other information

Odour threshold

Remarks not determined

Evaporation rate (ether = 1):

Remarks not determined

Solubility in water

Remarks virtually insoluble



Trade name: Castdon Polymer

Substance number: 1646 Version: 1/GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

Explosive properties

evaluation no

Oxidising properties

Remarks not determined

Bulk density

Value 700 to 750 kg/m³

Other information None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

Methyl methacrylate monomer, stabilized

Species rat

LD50 appr. 7900 mg/kg

Dibenzoyl peroxide

Species mouse

LD0 > 2000 mg/kg

Method OECD 401

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

Methyl methacrylate monomer, stabilized

Species rabbit

LD50 > 5000 mg/kg

Method OECD 402

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.



Trade name: Castdon Polymer

Substance number: 1646 Version: 1/GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

Acute inhalative toxicity (Components)

Methyl methacrylate monomer, stabilized

Species rat

LC50 29,8 mg/l

Duration of exposure 4 h

Administration/Form Vapors

Dibenzoyl peroxide

Species rat (male)

LC0 24,03 mg/l

Duration of exposure 4 h

Administration/Form Dust/Mist Method OECD 403

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation (Components)

Methyl methacrylate monomer, stabilized

Species Human evaluation irritant

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Sensitization (Components)

Methyl methacrylate monomer, stabilized

Route of exposure dermal
Species mouse
evaluation sensitizing
Method OECD 429

Dibenzoyl peroxide

Route of exposure dermal
Species mouse
evaluation sensitizing
Method OECD 429

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)

Methyl methacrylate monomer, stabilized



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

Single exposure

evaluation May cause respiratory irritation.
Route of exposure inhalative

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

This substance does not have endocrine disrupting properties with respect to humans.

Other information

Conditional of manufacturing there is a content of dibenzoylperoxide of ma. 0,5%.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

Methyl methacrylate monomer, stabilized

Species rainbow trout (Oncorhynchus mykiss)
LC50 > 79 mg/l

Duration of exposure 96 h

Methyl methacrylate monomer, stabilized

Species zebra fish (Brachydanio rerio)

NOEC 9,4 mg/l

Duration of exposure 35 d

Method OECD 210

Dibenzoyl peroxide

Species rainbow trout (Oncorhynchus mykiss)

LC50 0,06 mg/l

Duration of exposure 96 h

Method OECD 203

Daphnia toxicity (Components)

Methyl methacrylate monomer, stabilized

Species Daphnia magna

EC50 69 mg/l

Duration of exposure 48 h

Methyl methacrylate monomer, stabilized

Species Daphnia magna

NOEC 37 mg/l

Duration of exposure 21 d

Method OECD 211

Dibenzoyl peroxide

Species Daphnia magna

EC50 0,11 mg/l

Duration of exposure 48 h

Method OECD 202

Dibenzoyl peroxide

Species Daphnia magna



Print date: 24.03.2023

Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB

EC10 0,001 mg/l

Duration of exposure 21 d

Method OECD 211

Algae toxicity (Components)

Methyl methacrylate monomer, stabilized

Species Pseudokirchneriella subcapitata

EC50 > 110 mg/l

Duration of exposure 72 h

Method OECD 201

Dibenzoyl peroxide

Species Pseudokirchneriella subcapitata

ErC50 0,0711 mg/l

Duration of exposure 72 h

Method OECD 201

Bacteria toxicity (Components)

Methyl methacrylate monomer, stabilized

Species activated sludge

NOEC > 100 mg/l

Duration of exposure 14 d

Dibenzoyl peroxide

Species activated sludge

EC50 35 mg/l

Duration of exposure 30 min

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

Dibenzoyl peroxide

Value 71 %

Duration of test 28 d

evaluation Readily biodegradable (according to OECD criteria)

Ready degradability (Components)

Methyl methacrylate monomer, stabilized

Value 94 %

Duration of test 14 d

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

Methyl methacrylate monomer, stabilized

log Pow 1,38

Temperature 20 °C

Method OECD 107

Dibenzoyl peroxide

log Pow 3,2

Temperature 22 °C



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The Substance does not meet PBT-criteria.

This substance does not meet the vPvB-criteria.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the envrionment

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

EWC waste code 07 02 13 waste plastic

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-



Trade name: Castdon Polymer

Substance number: 1646 Version: 1 / GB Date revised: 07.03.2023

Replaces Version: -/GB Print date: 24.03.2023

SECTION 15: Regulatory information

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H225 Highly flammable liquid and vapour. H241 Heating may cause a fire or explosion.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

CLP categories listed in Chapter 3

Eye Irrit. 2 Eye irritation, Category 2
Flam. Liq. 2 Flammable liquid, Category 2
Org. Perox. B Organic peroxide, Type B
Skin Irrit. 2 Skin irritation, Category 2
Skin Sens. 1 Skin sensitization, Category 1

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.